

655 Material Type	690/0 Form	690/1 Composition	690/2 Properties	690/3 Applications	690/4 Process/ing
Cement	Additive	Ceramic	3D Woven	Acoustic Treatment	Adhering
Ceramic	Adhesive	Carbon	Abrasion Resistant	Aerospace	Aerating
Composites	Admixture	Concrete	Abrasive	Architecture	Assembling
Glass	Aggregate	Cement	Absorbent (liquid)	Arts & crafts	Bonding
Lighting	Anchorage (Anchor)	Ceramic Tile	Abuse Resistant	Automotive	Building
Metal	Assembly	Clay	Acid Resistant	Boating	Bulk & Sheet Forming
Natural	Awning	Earthenware	Acoustic	Cabinetry & Woodworking	Casting
Polymer	Bar	Plaster of Paris	ADA-compliant	Ceilings	Cladding
Process Sample	Base	Porcelain	Adhesive	Clothing & footwear	Clay Throwing
Stone	Base Course	Silicon	Adjustable	Communication	Coating
Wood	Bead	Terracotta	Aerated	Construction (exterior)	Compacting
	Beam		Aerobic	Construction (interior)	Constructing
	Blanket	Composites	Agricultural	Consumer goods	Cutting
	Blinds	Brick	Air Tight	Countertops	Deposition Based Prototyping
	Block	Cement	Amorphous	Decking	Die Casting
	Board	Cement (fiber-reinforced)	Anaerobic	Doors & Frames	Die cutting
	Bolt	Glass Fiber Fiberglass	Angled	Education	Drawing
	Book	Engineered	Anodic	Electrical & Lighting	Drilling
	Braid	Medium-density fiberboard (MDF)	Anodized	Electronics	Embossing
	Brick	Oriented Strand Board	Anti Bacterial	Erosion Control	Extrusion
	Brick Veneer	Particleboard	Anti-Microbial	Fabrication	Fastening
	Brochure	Plywood	Anti-Scratch	Floor covering	Filling
	Cabinetry	Shape Memory Alloy	Anti-Skid	Flooring & Tiling	Finishing
	Cabling (Cable)	Shape Memory Polymer	Anti-Static	Food Preparation	Firing
	Canopy		Antiqued	Framing	Forming
	Carpeting (Carpet)	Glass	Applied	Furniture & interiors	Freezing
	Casework	Borosilicate Glass	Archival	Hardware	Glass Blowing
	Casting	Coated glass	Aromatic	Indoor Lighting	Glazing
	Catalog	Glass Ceramic	Athletic	Industrial applications	Grinding
	CD-ROM	Lead Glass	Autoclaved	Industrial machinery	Grouting
	Ceiling	Silica	Bacterial Resistant	Instrumentation	Heat Treatment
	Cellular	Soda Lime Glass	Ballistics Resistant	Insulation	Ironing
	Chain	Tempered glass	Bendable	Interior design	Investment casting
	Channel	Textured glass	Biodegradable	Landscape design	Joining
	Chemical		Bituminous	Layer Separation	Labeling
	Cladding & finishes	Metal	Blast Resistant	Lighting (interior)	Laminating
	Chip	Alloy	Bonded	Lighting (exterior)	Laser cutting
	Clip	Aluminum	Breathable	Masonry	Machining
	Coating	Aluminum (anodized)	Brushed	Medical	Masonry
	Coiling (Coil)	Brass	Buoyant	Model making	Milling
	Concrete Masonry Unit (CMU)	Bronze	Burnished	Packaging	Mixing
	Connection (Connector)	Copper	Cable Suspended	Painting & Coating	Molding
	Covering (Cover)	Iron	Carved	Planting & Preparation	Mortaring
	Curtain	Pewter	Carbon negative	Pollution Control	Painting
	Decking	Steel	Casted	Prosthetics	Plasma cutting
	Door	Steel (galvanized)	Cellular	Prototyping	Polymer Casting
	Drain	Steel (stainless)	Cementitious	Publishing & graphics	Powder Methods
	Drapery	Tin	Certified	Roofing	Pressurizing
	Edging	Titanium Dioxide (TiO2)	CFC-free	Sheathing	Printing
	Emulsion	Zinc	Channeled	Shelving	Punching
	Extrusion		Chemical resistant	Shipping	Rapid Prototyping
	Fabric	Natural	Chromed	Siding	Sand Casting
	Fabrication	Bamboo	Circular	Signage	Sanding
	Facing	Balsa wood	Cleaning (Clean)	Site Improvement	Sealing
	Fastener	Carbon fiber	Clear	Site Remediation	Selective Laser Sintering
	Fencing (Fence)	Cellulose	Closed	Slope Protection	Sewing
	Fiber	Coconut	Coarse	Soil Stabilization	Shaping
	Fiber Optic	Cork	Coated	Sporting goods	Silk screening
	Filament	Cotton	Colored	Sub-flooring	Stapling
	Filling (Filler)	Felt	Colorfast	Thermal & Moisture	Stereolithography
	Film	Flax	Combined	Toys	Texturizing
	Filter	Fur	Commercial	Underlayment	Thermoforming
	Finishing (Finish)	Graphite	Compact	Upholstery	Upholstery

655 Material Type	690/0 Form	690/1 Composition	690/2 Properties	690/3 Applications	690/4 Processing
	Fixture	Grass	Compostable	Visual Display Surfaces	Weathering
	Flashing	Gypsum	Compressed	Wall coverings	Weaving
	Flooring	Hair	Conductive	Wall systems	Welding
	Foam	Hemp	Controlled permeability	Window Treatment	Woodworking
	Foil	Jute	Corrosion resistant	Windows & Skylights	
	Foundation	Latex (natural)	Corrugated	Woodworking	
	Framing	Lead	Cradle to Cradle Certified		
	Furnishing	Leather	Curved		
	Gabion	Luan	Cushioning		
	Gas	Marble	Custom		
	Gate	Mineral & Stone	Cylindrical		
	Gel	Paper	Decay Resistant		
	Geocomposite	Plant Bi-product	Decorative		
	Geogrid	Resin	Dense		
	Geomembrane	Rubber	Dichroic		
	Geonet	Sea Grass	Dimensionally Stable		
	Geotextile	Sea Shells	Directional		
	Glazing (Glass)	Silk	Dirt repellent/resistant		
	Grass	Sisal	Ductile		
	Grating	Stone	Durable		
	Gravel	Terrazzo	Dyed		
	Grid	Wood	Economical		
	Grille	Wool	Elastic		
	Grommet		Elastomeric		
	Grouting (Grout)	Polymer	Electroluminescent		
	Hardware	Acrylonitril butadiene styrene (ABS)	Electromagnetic		
	Hinge	Acrylic	Embossed		
	Honeycomb	High density polyethylene (HDPE)	EMI Shielding		
	Hull	Hydroxylacrylate	Engineered		
	Ink	Kevlar	Engravable		
	Instrumentation	Latex (synthetic)	Ergonomic		
	Insulation (Insulator)	Lycra	Etched		
	Joint	Melamine	Expanded		
	Joist	Memory foam	Exterior		
	Laminate	Micro-fiber	Extruded		
	Lath	Neoprene	Fabricated		
	Light Emitting Diode (LED)	Plastic	Faced		
	Lighting	Plexiglas	Fade Resistant		
	Liner	Polycarbonate	Faux		
	Liquid	Polyvinylchloride	Ferrous		
	Liquid Crystal Display (LCD)	Polyester	Fiber Reinforced		
	Louver	Polyamides	Fibrous		
	Magnet	Polyethylene (PE)	Filled		
	Mat	Polyethylene terephthalate (PET)	Filtering		
	Membrane	Polyolefin Tribopolymers	Fingerprint Resistant		
	Mesh	Polypropylene (PP)	Finished		
	Millwork	Polymethyl methacrylate	Fire Proof		
	Mixture (Mix)	Polycarbonate	Fire Resistant		
	Module	Polystyrene	Fire Retardant		
	Molded	Polyurethane	Firm		
	Molding	Polyvinyl chloride (PVC)	Fixed		
	Mulch	Rayon	Flame resistant		
	Nail	Silicone	Flame retardant		
	Netting (Net)	Thermoplastic	Flamed		
	Nosing	Thermoplastic rubber (TPR)	Flat		
	Nut	Thermoplastic polyurethane (TPU)	Flexible		
	Opening	Thermoset plastic	Float		
	Packaging	Vinyl	Flourescent		
	Pad		Folded		
	Paint		Food safe		
	Painting (Paint)		Formaldehyde free		
	Panel		Fragrant		
	Paneling		Fray resistant		
	Paper		Fray proof		
	Particulate (Particle)		FSC-Certified		
	Partition		Fungal Resistant		

655 Material Type	690/0 Form	690/1 Composition	690/2 Properties	690/3 Applications	690/4 Processing
	Paver		Fuzzy		
	Pea Stone		Galvanized		
	Pebble		Geodesic		
	Pedestal		Geosynthetic		
	Peg		Geotechnical		
	Pellet		Glass Fiber Reinforced		
	Photovoltaic		Glazed		
	Pigment		Glossy		
	Pin		Glow in the Dark		
	Piping (Pipe)		Graffiti resistant		
	Plank		Greenguard		
	Plant		Greenguard Children & Schools Certified		
	Plasticizer		Greenguard Indoor Air Quality Certified		
	Plate		Greenguard Select Certified		
	Post		Hail Resistant		
	Powder		Hard		
	Pulp		Hardened		
	Quarry		Hardwood		
	Railing		Heat reflective		
	Rebar		Heat resistant		
	Reglet		Heat stabilizing		
	Retardant		Heavy duty		
	Rivet		High density		
	Rod		High impact strength		
	Roll		High impact resistant		
	Roofing		High Performance		
	Rope		High Pressure		
	Sample (print)		High Strength		
	Screen		High Structural strength		
	Screw		High tear strenght		
	Scrim		High tensile strength		
	Sealant (Seal)		High torsional strength		
	Shade		High Viscosity		
	Sheathing		Historical		
	Sheet		Hollow		
	Shell		Holographic		
	Shingle		Honed		
	Shutter		Horizontal		
	Siding		Hurricane Resistant		
	Skylight		Illuminated		
	Slab		Impact absorbing		
	Soffit		Impact resistant		
	Sphere		Impermeable		
	Staining (Stain)		Impervious		
	Stai		Industrial		
	Stone		Infused		
	Strip		Insulated		
	Stud		Insulating (electrical)		
	Surfacing (Surface)		Insulating (thermal)		
	System		Integrated		
	Tape		Interior		
	Textile		Interlocking		
	Tie		Intumescent		
	Tile		Iridescent		
	Tiling		Irregular		
	Track		Laminated		
	Tread		Lasercut safe		
	Trellis		Layered		
	Trim		Lenticular		
	Tube		Light Diffusing		
	Tubing		Light Fastness		
	Underlayment		Light Transmitting		
	Unit		Lightweight		
	Upholstery		Linear		
	Valve		Low Density		
	Veneer		Low friction		

655
Material Type

690/0
Form
Vent
Wall
Washer
Window
Window Treatments
Wire
Woodworking
Wrap

690/1
Composition

690/2
Properties
Low maintenance
Low Viscosity
Low VOC
Luminescent
Magnetic
Magneto rheological
Malleable
Manufactured
Matte
Medium density
Micro-textured
Mildew resistant
Mirror finish
Mirrored
Mobile
Modular
Moisture Resistant
Moisture Retaining
Mold resistant
Moldable
Mosaic
Mounted
Multi-colored
Multi-layered
Multi-wall
NAF certified
Natural
Non-abrasive
Non-combustible
Non-ferrous
Non-conductive
Non-corroding
Non-flammable
Non-metallic
Non-porous
Non-resilient
Non-slip
Non-tempered
Non-toxic
Non-woven
Nutraceutical
Office
Opaque
Open
Organic
Ornamental
Oxidized
Passive solar cooling
Patterned
Perforated
Permeable
Pervious
Phase Changing
Photochromic
Photoluminescent
Pigmented
Pliable
Polished
Polymer modified
Porous
Post Consumer
Post industrial
Precise
Pre Casted
Pre Weathered
Prefinished

690/3
Applications

690/4
Process/ing

655
Material Type

690/0
Form

690/1
Composition

690/2
Properties

690/3
Applications

690/4
Process/ing

Preserved
Prismatic
Protective
Pultruded
Puncture Resistant
Radiant Heating
Recessed
Reclaimed
Recreational
Recyclable
Recycled content
Reflective
Refractory
Reinforced
Renewable resource
Repulpable
Residential
Resilient
Resin Modified
Resinous
Reticulated
Rigid
Rot-proof
Rot-resistant
Rotating
Rough
Round
FSC certified
Rubbery
Satin
Scratch resistant
Seamless
Segmental
Self-Adhering
Self-Cleaning
Self-Healing
Semi-Glossy
Semi-Rigid
Semi-Transparent
Shape Memory
Sheer
Shiny
Shock-absorbant
Silver
Single
Skid Resistant
Slip Resistant
Smooth
Soft
Softwood
Soil Repellent
Soil Resistant
Solid
Sound absorbing
Sound dampening
Sound proofing
Sound reflective
Specialty
Square
Stabilized
Stain resistant
Stained
Standard
Static control
Static resistant
Stitchable

655
Material Type

690/0
Form

690/1
Composition

690/2
Properties

690/3
Applications

690/4
Process/ing

Stretchable
Strong
Structural
Super Absorbent
Suspended
Sustainable
Synthetic
Tear resistant
Telescoping
Temperature Resistant
Tempered
Temporary
Tensile
Tensioned
Termite Resistant
Terrazzo
Textured
Thermal
Thermochromic
Time Releasing
Tinted
Tooled
Torsional strength
Toxic
Track Mounted
Translucent
Transparent
Tumbled
Unfinished
Uniform
Uniform Color
UV resistant
UV stable
UV treated
Vandalism resistant
Vapor resistant
Vegetated
Veneered
Vertical
Vibration control
Vibration dampening
Viscoelastic
Vitreous
Washable
Water based
Water-management textile
Waterproof
Water resistant
Water soluble
Water tight
Wear resistant
Weather resistant
Weathered
Wicking
Wind Proof
Woven
Wrinkle Resistant